

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 01 2000

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed DEC 28 1983 under 47546

\*\*\*\*\*

The applicant **Bellagio, c/o Mirage Resorts, Inc.**, hereby makes application for permission to change the **Point of Diversion, Place of Use and Manner of Use** of water heretofore appropriated under **Permit 60737**

\*\*\*\*\*

1. The source of water is **underground (Las Vegas Artesian Basin)**
2. The amount of water to be changed **0.028 cfs, 15.30 acre-feet**
3. The water to be used for **commercial**
4. The water heretofore permitted for **recreation and domestic**
5. The water is to be diverted at the following point **NE¼, SW¼, Section 21, T21S, R61E, M.D.M. or at a point from which the S¼ corner of said Section 21 bears S 03° 05' E, a distance of 1,380.0 feet, as shown on supporting map for Permit No. 47546.**
6. The existing permitted point of diversion is located within **NW¼ SE¼ Section 20, T21S, R61E, M.D.M. or at a point from which the E¼ corner of said Section 20 bears N 73° 12' 48" E, a distance of 2,122.6 feet, as shown on supporting map for Permit No. 60737.**
7. Proposed place of use **Portions of SW¼ SW¼, NW¼ SW¼, NE¼ SW¼, and the SE¼ SW¼ of Section 21, T21S, R61E, M.D.M., Clark County, Nevada, as shown on the supporting mapping for Permit No. 58436.**
8. Existing place of use **Portions of NW¼ NE¼, NE¼ NE¼, SW¼ NE¼, SE¼ NE¼, NW¼ SE¼, NE¼ SE¼, and the SW¼ SE¼ of Section 20, T21S, R61E, M.D.M., Clark County, Nevada, as shown on the supporting map for Permit No. 60737.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Existing "East" Well and constructed distribution system at the MGM Grand Hotel.**
12. Estimated cost of works **Approximately \$200,000.00**
13. Estimated time required to construct works **Completed, "East" well, 12 ¼-inch diameter well constructed to 800 feet in depth (see Well Driller's Report filed with DWR for Permit 58436)**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **The water will be used for amusement park, fountains, irrigation, and cooling towers at the MGM Grand Hotel.**

By **Dwight L. Smith, P.E., Agent**  
s/Dwight L. Smith  
950 Industrial Way  
Sparks, Nevada 89431

Compared my/cm f ds/cm f

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of the waters of an underground source as heretofore granted under Permit 60737 is issued subject to the terms and conditions imposed in said Permit 60737 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.028 cubic feet per second, but not to exceed 15.30 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

April 9, 2006

Proof of the application of water to beneficial use shall be filed on or before:

May 9, 2006

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 9th day of, April A.D. 2001

  
State Engineer

Completion of work filed under 58436 on December 5, 1994

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_